

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11813	group\$4 with value with set	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:50
L2	188	group\$4 with value with set and select\$4 with candidat\$4 with set	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:51
L3	1	group\$4 with value with set and select\$4 with candidat\$4 with set and group with candidate with cover	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:51
L4	8	group\$4 with value with set and select\$4 with candidat\$4 with set and group with candidate with quer\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:52
L5	0	group\$4 with value with set and select\$4 with candidat\$4 with set and group with candidate with quer\$4 and schema	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:52
L6	2	group\$4 with value with set and select\$4 with candidat\$4 with set and group with candidate with quer\$4 and data\$base	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:53
L7	8	group\$4 with value with set and select\$4 with candidat\$4 with set and group with candidate with quer\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 13:19
L8	1	"5899988".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 14:12
L9	0	"5899988".pn. and source	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 13:19
L10	0	"5899988".pn. and targt	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 13:20
L11	0	"5899988".pn. and target	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 13:20
L12	0	"5899988".pn. and schema	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 13:20

L13	45	ink with conduct\$4 with inside with layer not printer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 14:13
S1	3	("5307086" "5787416" "5995958" "6106554" "6282547" "5680629" "5842209" "5995973" "6253218"). pn. and map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 09:04
S8	4	source adj schema with target adj schema with map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 09:05
S20	279	source near2 schema	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 09:04
S21	52	source near2 schema with target near2 schema	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 09:04
S22	29	map\$4 with source near2 schema with target near2 schema	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 09:21
S23	21	source adj schema with target adj schema with map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 09:05
S24	0	S23 not S22	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 09:05
S25	8	S22 not S23	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 09:05
S26	25	map\$4 with source near2 schema with target near2 schema not ibm. as. not "international business".as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 09:21
S27	13	map\$4 with source near2 schema with target near2 schema not ibm. as. and query\$4 not "international business".as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 09:21
S28	13	map\$4 with source near2 schema with target near2 schema not ibm. as. and (sql query\$4) not "international business".as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 09:22

S29	13	map\$4 with source near2 schema with target near2 schema and (sql quer\$4) not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 09:24
S30	5	map\$4 with source near2 schema with target near2 schema and (sql quer\$4) and (deriv\$4 generat\$4 creat\$4 build\$4) with source with target not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 09:29
S31	8	map\$4 with source near2 schema with target near2 schema and (sql quer\$5) and (deriv\$4 generat\$4 creat\$4 build\$4) with source with target not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 09:39
S32	3	map\$4 with source near2 schema with target near2 schema and (sql quer\$5) and (deriv\$4 generat\$4 creat\$4 build\$4) with source with target and receiv\$4 with value not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 09:33
S33	3	map\$4 with source near2 schema with target near2 schema and (sql quer\$5) and (deriv\$4 generat\$4 creat\$4 build\$4) with source with target and (obtain\$4 receiv\$4) with value not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 09:34
S34	1	map\$4 with source near2 schema with target near2 schema and (sql quer\$5) and (deriv\$4 generat\$4 creat\$4 build\$4) with source with target and (retriev\$4 get\$4) with value not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 09:34
S35	2	map\$4 with source near2 schema with target near2 schema and (sql quer\$5) and (deriv\$4 generat\$4 creat\$4 build\$4) with source with target and set with (select\$4 choos\$4 identif\$4) not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 09:42
S36	2	map\$4 with source near2 schema with target near2 schema and (sql quer\$5) with map\$4 and (deriv\$4 generat\$4 creat\$4 build\$4) with source with target and set with (select\$4 choos\$4 identif\$4) not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 10:46

S37	9	map\$4 with source near2 (data schema) with target near2 (data schema) and (sql quer\$5) with map\$4 and (deriv\$4 generat\$4 creat\$4 build\$4) with source with target and set with (select\$4 choos\$4 identif\$4) not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 10:47
S38	9	schema and map\$4 with source near2 (data schema) with target near2 (data schema) and (sql quer\$5) with map\$4 and (deriv\$4 generat\$4 creat\$4 build\$4) with source with target and set with (select\$4 choos\$4 identif\$4) not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 10:48
S39	7	schema with (source and target) and map\$4 with source near2 (data schema) with target near2 (data schema) and (sql quer\$5) with map\$4 and (deriv\$4 generat\$4 creat\$4 build\$4) with source with target and set with (select\$4 choos\$4 identif\$4) not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 10:58
S40	6	schema with (source and target) and map\$4 with source near2 (data schema) with target near2 (data schema) and (sql quer\$5) with map\$4 and (deriv\$4 generat\$4 creat\$4 build\$4) with source with target and set with (select\$4 choos\$4 identif\$4) and user with (add\$4 delet\$4) not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:50